

Allmach 2024 Clearance

Transaction Display Name	Description	Clearance Quantity
FT50	040mm x 050mm Galvanised Threaded Flange	6
BBUFF25	1 in. brass barrel union fem - fem	11
ALCLA150	1 1/2 BSPF Aluminium Camlock Type A Male	2
SS45E40	1 1/2 in. 316 stainless 45 deg elbow	1
BBUFF40	1 1/2 in. brass barrel union fem - fem	2
BMFE40	1 1/2 in. brass male female threaded elbow	1
BE40	1 1/2 in. brass threaded elbow	1
G45E040	1 1/2 in. BSP F/F Gal Mal Elbow 45 Deg	4
GMFE040	1 1/2 in. BSP Gal Mal Male Female Threaded Elbow	3
GS040	1 1/2 in. BSP Gal Mal Threaded Socket	3
PHN40	1 1/2 in. GRNylon hex nipple	45
PE40	1 1/2 in. GRNylon threaded elbow	6
PP40	1 1/2 in. GRNylon threaded plug	67
PS40	1 1/2 in. GRNylon threaded socket	5
PT40	1 1/2 in. GRNylon threaded tee	20
PRHN4032	1 1/2 in. x 1 1/4 GRNylon reducing hex nipple	12
PRS4032	1 1/2 in. x 1 1/4 GRNylon reducing socket	33
BRB4032	1 1/2 in. x 1 1/4 in. brass reducing bush	1
BRHN4032	1 1/2 in. x 1 1/4 in. brass reducing hex nipple	1
PRHN4025	1 1/2 in. x 1 in. GRNylon reducing hex nipple	2
PRS4025	1 1/2 in. x 1 in. GRNylon reducing socket	5
GRB.040015	1 1/2 in. x 1/2 in. BSP Gal Mal Reducing Bush	8
PRB4020	1 1/2 in. x 3/4 in. GRNylon reducing bush	3
PRHN4020	1 1/2 in. x 3/4 in. GRNylon reducing hex nipple	8
PRS4020	1 1/2 in. x 3/4 in. GRNylon reducing socket	5
SSHB3232	1 1/4 hose x 1 1/4 in. BSPM stainless hose barb	1
SSE32	1 1/4 in. 316 stainless 90D elbow	1
BBUFF32	1 1/4 in. brass barrel union fem - fem	3
BP32	1 1/4 in. brass plug	8
BE32	1 1/4 in. brass threaded elbow	5
BT32	1 1/4 in. brass threaded tee	2
GMFE032	1 1/4 in. BSP Gal Mal Male Female Threaded Elbow	3
GC032	1 1/4 in. BSP Gal Mal Threaded Cap	1
GE032	1 1/4 in. BSP Gal Mal Threaded Elbow	12
GP032	1 1/4 in. BSP Gal Mal Threaded Plug	1
GS032	1 1/4 in. BSP Gal Mal Threaded Socket	1
PHN32	1 1/4 in. GRNylon hex nipple	7
PE32	1 1/4 in. GRNylon threaded elbow	4
PP32	1 1/4 in. GRNylon threaded plug	5
PS32	1 1/4 in. GRNylon threaded socket	18
PT32	1 1/4 in. GRNylon threaded tee	16
BHB3232	1 1/4 in. hose x 1 1/4 in. male brass hose barb	1
SSRS3225	1 1/4 in. x 1 in. 316SS reducing socket	5
PRS3225	1 1/4 in. x 1 in. GRNylon reducing socket	3
BRB3215	1 1/4 in. x 1/2 in. brass reducing bush	6
GRB.032015	1 1/4 in. x 1/2 in. BSP Gal Mal Reducing Bush	1
BRHN3220	1 1/4 in. x 3/4 in. brass reducing hex nipple	5

Transaction Display Name	Description	Clearance Quantity
PRB3220	1 1/4 in. x 3/4 in. GRNylon reducing bush	15
PRHN3220	1 1/4 in. x 3/4 in. GRNylon reducing hex nipple	23
PRS3220	1 1/4 in. x 3/4 in. GRNylon reducing socket	21
SSBVTWL25	1 BSP S/S Ball Valve 3 Way L-Port	4
BP25	1 in. brass plug	10
BT25	1 in. brass threaded tee	11
PMFE25	1 in. GRNylon male fem elbow	21
PE25	1 in. GRNylon threaded elbow	50
PEC25	1 in. GRNylon threaded end cap	28
PT25	1 in. GRNylon threaded tee	10
BHB5050	1 in. hose x 1 in. male brass hose barb	2
BHB2525	1 in. hose x 1 in. male brass hose barb	16
GRB.025015	1 in. x 1/2 in. BSP Gal Mal Reducing Bush	21
PRS2515	1 in. x 1/2 in. GRNylon reducing socket	12
GRB.025008	1 in. x 1/4 in. BSP Gal Mal Reducing Bush	39
BAT25-150	1 in. x 150 brass all thread	1
BRB2520	1 in. x 3/4 in. brass reducing bush	7
BRHN2520	1 in. x 3/4 in. brass reducing hex nipple	3
GRB.025020	1 in. x 3/4 in. BSP Gal Mal Reducing Bush	1
GRB.025010	1 in. x 3/8 in. BSP Gal Mal Reducing Bush	19
PRB2510	1 in. x 3/8 in. GRNylon reducing bush	24
BRB2508	1 x 1/4 BSPT Brass Reducing Bush	7
SSHB4032	1-1/2 Hose x 1-1/4 in. BSPM S/S Hose Barb	8
BRB4015	1-1/2 in. x 1/2 in. BSP Brass Reducing Bush	5
FBHB1510	1/2 Hose x 3/8 BSPF Brass Hose Barb	11
SSHB1510	1/2 Hose x 3/8 in. BSPM S/S Hose Barb	46
SSCLC050	1/2 Hosetail S/S Camlock Type C Female	2
BBUFF15	1/2 in. brass barrel union fem - fem	4
BP15	1/2 in. brass plug	15
BE15	1/2 in. brass threaded elbow	10
G45E015	1/2 in. BSP F/F Gal Mal Elbow 45 Deg	2
PMFE15	1/2 in. GRNylon male fem elbow	1
PE15	1/2 in. GRNylon threaded elbow	29
PEC15	1/2 in. GRNylon threaded end cap	8
PP15	1/2 in. GRNylon threaded plug	10
PT15	1/2 in. GRNylon threaded tee	6
BRHN1508	1/2 in. x 1/4 in. brass reducing hex nipple	2
GRB.015008	1/2 in. x 1/4 in. BSP Gal Mal Reducing Bush	5
PRHN1508	1/2 in. x 1/4 in. GRNylon reducing hex nipple	26
SSRB1506	1/2 in. x 1/8 316 stainless reducing bush	5
PRB1506	1/2 in. x 1/8 GRNylon reducing bush	9
PRHN1506	1/2 in. x 1/8 GRNylon reducing hex nipple	26
BRB1506	1/2 in. x 1/8 in. BSPT brass reducing bush	4
SSRS1510	1/2 in. x 3/8 in. 316SS reducing socket	4
PRB1510	1/2 in. x 3/8 in. GRNylon reducing bush	26
PRHN1510	1/2 in. x 3/8 in. GRNylon reducing hex nipple	16
BHJ1515	1/2 x 1/2 Brass Hose Joiner	5
SSAMF1515T	1/2 x 1/2 S/S Adaptor F/M	10
SSAMF1508T	1/2 x 1/4 S/S Adaptor F/M	182

Transaction Display Name	Description	Clearance Quantity
BHE0808	1/4 Hose x 1/4 BSPM Brass Elbow	3
BHE0810	1/4 Hose x 3/8 BSPM Brass Elbow	5
SSC08	1/4 in. 316 stainless cap	7
BDMF08	1/4 in. brass male female double outlet	5
BE08	1/4 in. brass threaded elbow	14
BV08	1/4 in. BSP F/F Brass Ball Valve	13
GP008	1/4 in. BSP Gal Mal Threaded Plug	9
PHN08	1/4 in. GRNylon hex nipple	13
PP08	1/4 in. GRNylon threaded plug	21
BHB0806	1/4 in. hose x 1/8 in. male brass hose barb	8
BHB0810	1/4 in. hose x 3/8 in. male brass hose barb	26
BRB0806	1/4 in. x 1/8 in. BSPT brass reducing bush	1
PRHN0806	1/4 in. x 1/8 in. GN reducing hex nipple	3
200-20SF	1/4in. female thread Nitto 200 coupler	3
20SF	1/4in. female thread Nitto Hi-cupla	2
200-20SH	1/4in. hose barb Nitto 200 coupler	2
20PH	1/4in. hose barb Nitto Hi-cupla plug	15
SSMFE06	1/8 316 stainless 90deg M/F elbow	12
SSC06	1/8 in. 316 stainless cap	10
SSBUMF06	1/8 in. 316 stainless M/F barrel union	11
SST06	1/8 in. 316 stainless threaded tee	8
BHN06	1/8 in. brass hex nipple	2
BP06	1/8 in. brass plug	8
SSBUFF06	1/8 in. BSP 316 stainless barrel union	8
PP06	1/8 in. GRNylon threaded plug	21
DCHR.F.010001	10 x 16 x 21mm RPVC double contained hose - per metre	225
3884.0110	110mm long spigot 90deg multibend PE100 SDR11	1
2344.1104.	110mm x 4 in. Brass female transition insert PE100 SDR11	20
2334.1104.	110mm x 4 in. Brass male transition insert PE100 SDR11	17
1424.1102	110mm x 6 metre PE100 PN16 lilac stripe pipe	7
2164.1190P	110mm x 90mm EF reducing tee PE100 SDR11	3
2224.1190P	110mm x 90mm electrofusion branch saddle PE100 SDR11	1
DCHR.F.012001	12.5 x 18.5 x 23.5mm RPVC double contained hose - per metre	190
VIGEG.000125	125mm Cast Iron Gripper Gate Valve Clockwise Close	6
C125	125mm Maxair compression coupling	1
3034.1211.	125mm x 110mm long spigot reducer PE100 SDR11	1
1601.1253	125mm x 12 metre PE100 PN10 black pipe	5
3544.0125	125mm x 4in. L/S full face stub flange PE100 SDR11/PN16 c/w AS4087 SS316 backing ring	1
5441.5125	125mm x 5 in. Table D galvanised backing ring	1
1424.1252	125mm x 6 metre PE100 PN16 lilac stripe pipe	3
1423.1252	125mm x 6 metre PE100 PN16 yellow stripe pipe	1
2224.1290P	125mm x 90mm electrofusion branch saddle PE100 SDR11	2
MIPE4.000012	12mm 45deg elbow SurePress M 316SS	100
MIPE9.000012	12mm 90deg elbow SurePress M 316SS	1,070
MIPCO.000012	12mm coupling SurePress M 316SS	1,401
MIPTE.000012	12mm tee SurePress M 316SS	100
TIDTS.012600	12mm x 1.0mm x 6m SurePress tube 316L SS	122
MIPMA.012015	12mm x 1/2 in. BSPM adaptor SurePress M 316SS	445
3274.0140.	140mm long spigot end cap PE100 SDR11	1

Transaction Display Name	Description	Clearance Quantity
3034.1412.	140mm x 125mm long spigot reducer PE100 SDR11	9
HZPCO.150M10	150mm bolted pipe clip	2
HSDMO.000015	15mm S/S Double Mount Clamp	16
MISRO.015012	15mm x 12mm reducer SurePress M 316SS	100
2104.0160P	160mm electrofusion 45deg elbow PE100 SDR11	3
2034.1611F	160mm x 110mm electrofusion reducer PE100 SDR11	1
3034.1612.	160mm x 125mm long spigot reducer PE100 SDR11	22
2224.1632P	160mm x 32mm electrofusion branch saddle PE100 SDR11	8
1524.1602	160mm x 6 metre PE100 PN12.5 lilac stripe pipe	16
2164.1690P	160mm x 90mm EF reducing tee PE100 SDR11	15
2224.1690P	160mm x 90mm electrofusion branch saddle PE100 SDR11	1
C16	16mm Maxair compression coupling	15
5481.0450	18 in. Table E galvanised blind flange	1
VIGEG.000180	180mm Cast Iron Gripper Gate Valve Clockwise Close	17
2104.0180P	180mm electrofusion 45deg elbow PE100 SDR11	1
2016.0180P	180mm lightfit electrofusion coupler PE100 PN10	2
3034.1811	180mm x 110mm long spigot reducer PE100 SDR11	1
3034.1812.	180mm x 125mm long spigot reducer PE100 SDR11	14
3034.1814.	180mm x 140mm long spigot reducer PE100 SDR11	5
2224.1832P	180mm x 32mm electrofusion branch saddle PE100 SDR11	1
5441.0180.	180mm x 6 in. Table D galvanised backing ring	1
1601.1802	180mm x 6 metre PE100 PN10 black pipe	9
1521.1802	180mm x 6 metre PE100 PN12.5 blue stripe pipe	5
DCHLF.019001	19 x 26 x 31mm LDPE double contained hose - per metre	230
DCHRF.019001	19 x 26 x 31mm RPVC double contained hose - per metre	221
SSMFE65	2 1/2 in. 316 stainless 90deg M/F elbow	1
BHN65	2 1/2 in. brass hex nipple	6
BP65	2 1/2 in. brass plug	2
GP065	2 1/2 in. BSP Gal Mal Threaded Plug	7
PHN65	2 1/2 in. GRNylon hex nipple	2
SSRS6540	2 1/2 in. x 1 1/2 in. 316SS reducing socket	1
GRB.065040	2 1/2 in. x 1 1/2 in. BSP Gal Mal Reducing Bush	1
PRB6540	2 1/2 in. x 1 1/2 in. GRNylon reducing bush	2
SSRB6525	2 1/2 in. x 1 in. 316 stainless reducing bush	2
BRB6550	2 1/2 in. x 2 brass reducing bush	13
BRHN6550	2 1/2 in. x 2 brass reducing hex nipple	4
PRB6550	2 1/2 in. x 2 in. GRNylon reducing bush	9
PRB6532	2 1/2 in. x 1 1/4 in. GRNylon reducing bush	1
SSBVTWL50	2 BSP S/S Ball Valve 3 Way L-Port	2
SS45E50	2 in. 316 stainless 45 deg elbow	2
BP50	2 in. brass plug	2
BE50	2 in. brass threaded elbow	3
GC050	2 in. BSP Gal Mal Threaded Cap	2
PE50	2 in. GRNylon threaded elbow	12
PS50	2 in. GRNylon threaded socket	3
PT50	2 in. GRNylon threaded tee	3
PRS5040	2 in. x 1 1/2 in. GRNylon reducing socket	4
PRB5032	2 in. x 1 1/4 in. GRNylon reducing bush	2
PRHN5032	2 in. x 1 1/4 in. GRNylon reducing hex nipple	36

Transaction Display Name	Description	Clearance Quantity
PRS5032	2 in. x 1 1/4 in. GRNylon reducing socket	2
BRHN5025	2 in. x 1 in. brass reducing hex nipple	1
PRHN5025	2 in. x 1 in. GRNylon reducing hex nipple	18
PRS5025	2 in. x 1 in. GRNylon reducing socket	9
BRB5015	2 in. x 1/2 in. BSP Brass Reducing Bush	23
PRHN5020	2 in. x 3/4 in. GRNylon reducing hex nipple	20
PRS5020	2 in. x 3/4 in. GRNylon reducing socket	9
HSSDO.000025	2 Piece Strut Clip 25mm S/S	16
HSSDO.000051	2 Piece Strut Clip 51mm S/S	6
HSSDO.000073	2 Piece Strut Clip 73mm S/S	1
HSSDO.000083	2 Piece Strut Clip 83mm S/S	10
BRHN5032	2 x 1 1/4 in. brass reducing hex nipple	3
3164.2011.	200mm x 110mm long spigot reducing tee PE100 SDR11	1
3164.2016.	200mm x 160mm long spigot reducing tee PE100 SDR11	1
5461.0200.	200mm x 8 in. ANSI 150 galvanised backing ring	2
C45E20	20mm 45deg compression elbow	9
2014.0020P	20mm electrofusion coupler PE100 SDR11	2
2154.0020P	20mm electrofusion equal tee PE100 SDR11	43
3414.0020.	20mm long spigot stub flange PE100 SDR11	2
EC20	20mm Maxair end cap	35
EP20	20mm Maxair insert blanking plug	12
W45E20	20mm Maxair socket fusion 45deg elbow	106
MC20	20mm modular connector	9
DHTPS.010020	20mm PVC Hose Tail solvent weld. Suit 10 x 16 x 21mm DCH	48
DHTPS.012020	20mm PVC Hose Tail solvent weld. Suit 12.5 x 18.5 x 21.5/23.5mm DCH	39
FA2025	20mm x 1 in. Maxair compression female adaptor	11
EM2015	20mm x 1/2 in. 90deg male thread Maxair compression elbow	10
EF2015	20mm x 1/2 in. 90deg Maxair female thread compression elbow	8
2344.2015.	20mm x 1/2 in. Brass female transition insert PE100 SDR11	1
2334.2015.	20mm x 1/2 in. Brass male transition insert PE100 SDR11	2
2324.2015P	20mm x 1/2 in. electrofusion brass female adaptor PE100 SDR11	16
PCS2015	20mm x 1/2 in. pipe to copper adaptor set	20
5451.0020.	20mm x 1/2 in. Table E galvanised backing ring	15
WMA2015	20mm x 1/2 Maxair socket fusion male adaptor	1
AIR20-200M	20mm x 200m PE100 PN25 MAXAIR pipe	3
EM2020	20mm x 3/4 in. 90deg male thread Maxair compression elbow	11
MA2020	20mm x 3/4 in. male adaptor	5
TF2020	20mm x 3/4 in. Maxair compression female thread tee	8
TM2020	20mm x 3/4 in. Maxair male thread tee	14
PCS3220	20mm x 3/4 in. pipe to copper adaptor set	7
1401.0202	20mm x 6 metre PE100 PN16 black pipe	2
2054.0225P	225mm electrofusion 90deg elbow PE100 SDR11	8
2154.0225F	225mm electrofusion equal tee PE100 SDR11	7
2154.0225P	225mm electrofusion equal tee PE100 SDR11	1
3054.0225.	225mm long spigot 90deg elbow PE100 SDR11	1
3044.2216.	225mm x 160mm long spigot eccentric reducer PE100 SDR11	1
3034.2218	225mm x 180mm long spigot reducer PE100 SDR11	4
SSSTM.022020	22mm x 3/4 in. BSPM spigot SurePress Carbon Steel	49
DCHR.F.025001	25 x 33 x 38mm RPVC double contained hose - per metre	665

Transaction Display Name	Description	Clearance Quantity
4054.0250.	250mm 90deg butt weld elbow PE100 SDR11	3
3154.0250.	250mm long spigot tee PE100 SDR11	81
5441.0250.	250mm x 10 in. Table D galvanised backing ring	3
3164.2511.	250mm x 110mm long spigot reducing tee PE100 SDR11	1
3044.2521.	250mm x 200mm long spigot eccentric reducer PE100 SDR11	1
3034.2521.	250mm x 200mm long spigot reducer PE100 SDR11	2
1601.2502	250mm x 6 metre PE100 PN10 black pipe	3
2224.2563P	250mm x 63mm electrofusion branch saddle PE100 SDR11	1
3164.2590	250mm x 90mm long spigot reducing tee PE100 SDR11	1
2054.0025P	25mm electrofusion 90deg elbow PE100 SDR11	22
3054.0025.	25mm long spigot 90deg elbow PE100 SDR11	38
3414.0025.	25mm long spigot stub flange PE100 SDR11	87
WF25	25mm Maxair socket fusion stub flange	13
MC25	25mm modular connector	2
TF2525	25mm x 1 in. Maxair compression female thread tee	2
PCS2525	25mm x 1 in. pipe to copper adaptor set	1
RC2520	25mm x 20mm Maxair compression reducing coupling	12
RT2520	25mm x 20mm Maxair compression reducing tee	8
2064.2520P	25mm x 3/4 in. electrofusion brass female thread elbow	9
TM2520	25mm x 3/4 in. Maxair male thread tee	1
PCS2520	25mm x 3/4 in. pipe to copper adaptor set	14
5451.0025	25mm x 3/4 in. Table E galvanised backing ring	32
WEF2520	25mm x 3/4 Maxair socket fusion female threaded elbow	1
1524.0256	25mm x 50 metre PE100 PN12.5 lilac stripe pipe	10
1423.0252	25mm x 6 metre PE100 SDR11 yellow stripe pipe	9
5442.0280.	280mm x 10 in. Table D stainless backing ring	1
SFA6.000080	3 ANSI 150 316 S/S BSP Threaded Flange	1
SSBUFF80	3 in. BSP 316 stainless barrel union	1
GS075	3 in. BSP Gal Mal Threaded Socket	1
PHN80	3 in. GRNylon hex nipple	1
PRB8040	3 in. x 1 1/2 in. GRNylon reducing bush	4
SSRS8065	3 in. x 2 1/2 in. 316SS reducing socket	7
BRB8065	3 in. x 2 1/2 in. brass reducing bush	2
SSRS8050	3 in. x 2 in. 316SS reducing socket	2
GRB.080050	3 in. x 2 in. BSP Gal Mal Reducing Bush	13
SSC20	3/4 in. 316 stainless cap	100
BBUFF20	3/4 in. brass barrel union fem - fem	3
BE20	3/4 in. brass threaded elbow	15
BT20	3/4 in. brass threaded tee	10
G45E020	3/4 in. BSP F/F Gal Mal Elbow 45 Deg	1
GMFE020	3/4 in. BSP Gal Mal Male Female Threaded Elbow	2
GC020	3/4 in. BSP Gal Mal Threaded Cap	8
GP020	3/4 in. BSP Gal Mal Threaded Plug	2
SSYS020	3/4 in. BSP Y - Strainer 316 Stainless	4
PE20	3/4 in. GRNylon threaded elbow	11
PS20	3/4 in. GRNylon threaded socket	46
PT20	3/4 in. GRNylon threaded tee	9
PRHN2015	3/4 in. x 1/2 in. GRNylon reducing hex nipple	19
PRS2015	3/4 in. x 1/2 in. GRNylon reducing socket	141

Transaction Display Name	Description	Clearance Quantity
GRB.020008	3/4 in. x 1/4 in. BSP Gal Mal Reducing Bush	24
PRB2008	3/4 in. x 1/4 in. GRNylon reducing bush	4
BAT20-150	3/4 in. x 150 brass all thread	2
GRB.020010	3/4 in. x 3/8 in. BSP Gal Mal Reducing Bush	7
BRB2010	3/4 in. x 3/8 in. BSPT brass reducing bush	5
PRB2010	3/4 in. x 3/8 in. GRNylon reducing bush	34
PRHN2010	3/4 in. x 3/8 in. GRNylon reducing hex nipple	25
BAT20-300	3/4 in. x 300 brass all thread	2
BRB2006	3/4 x 1/8 BSPT Brass Reducing Bush	5
BMFT10	3/8 BSP Male Branch Tee N/P	7
30PF	3/8 female thread Nitto Hi-Cupla plug	2
SSS10	3/8 in. 316 stainless threaded socket	4
SST10	3/8 in. 316 stainless threaded tee	1
BDO10	3/8 in. brass double outlet	18
BDOMF10	3/8 in. brass male female double outlet	30
BP10	3/8 in. brass plug	15
BE10	3/8 in. brass threaded elbow	6
BT10	3/8 in. brass threaded tee	1
SSBUFF10	3/8 in. BSP 316 stainless barrel union	5
BV10	3/8 in. BSP F/F Brass Ball Valve	1
GMFE010	3/8 in. BSP Gal Mal Male Female Threaded Elbow	2
GE010	3/8 in. BSP Gal Mal Threaded Elbow	8
GP010	3/8 in. BSP Gal Mal Threaded Plug	15
SSYS010	3/8 in. BSP Y - Strainer 316 Stainless	2
PHN10	3/8 in. GRNylon hex nipple	42
PP10	3/8 in. GRNylon threaded plug	15
BHB1020	3/8 in. hose x 3/4 in. male brass hose barb	5
SSRHN1008	3/8 in. x 1/4 in. 316SS reducing nipple	1
BRHN1008	3/8 in. x 1/4 in. brass reducing hex nipple	2
PRHN1008	3/8 in. x 1/4 in. GRNylon reducing hex nipple	13
PRHN1006	3/8 in. x 1/8 GRNylon reducing hex nipple	19
SSRB1006	3/8 in. x 1/8 in. 316 stainless reducing bush BSP	4
BAT10-150	3/8 in. x 150mm brass all thread	2
30SM	3/8 male thread Nitto Hi-cupla	3
30PM	3/8 male thread Nitto Hi-Cupla plug	1
BHJ1010	3/8 x 3/8 Brass Hose Joiner	4
200-30SF	3/8in. female thread Nitto 200 coupler	1
DCHR031001	31 x 42 x 47mm RPVC double contained hose - per metre	344
4054.0315.	315mm 90deg butt weld elbow PE100 SDR11	2
2016.0315P	315mm lightfit electrofusion coupler PE100 PN10	2
3154.0315.	315mm long spigot tee PE100 SDR11	4
5452.0315.	315mm x 12 in. Table E stainless backing ring	1
3164.3116.	315mm x 160mm long spigot reducing tee PE100 SDR11	1
3034.3125.	315mm x 250mm long spigot reducer PE100 SDR11	2
3034.3128.	315mm x 280mm long spigot reducer PE100 SDR11	3
1601.3152	315mm x 6 metre PE100 PN10 black pipe	1
2224.3190P	315mm x 90mm electrofusion branch saddle PE100 SDR11	4
2104.0032P	32mm electrofusion 45deg elbow PE100 SDR11	3
2154.0032P	32mm electrofusion equal tee PE100 SDR11	5

Transaction Display Name	Description	Clearance Quantity
3054.0032.	32mm long spigot 90deg elbow PE100 SDR11	61
DHTPS.025032	32mm PVC Hose Tail solvent weld. Suit 25 x 33 x 38mm DCH	42
EM3232	32mm x 1 1/4 in. 90deg male thread Maxair compression elbow	3
EF3232	32mm x 1 1/4 in. 90deg Maxair female thread compression elbow	1
MA3232	32mm x 1 1/4 in. male adaptor	4
FA3232	32mm x 1 1/4 Maxair compression female adaptor	1
TM3225	32mm x 1 in. Maxair male thread tee	7
AS3215	32mm x 1/2 in. tapping saddle	3
2034.3220F	32mm x 20mm electrofusion reducer PE100 SDR11	14
RS3220	32mm x 20mm Maxair reducing set	7
2034.3225P	32mm x 25mm electrofusion reducer PE100 SDR11	1
EM3220	32mm x 3/4 in. 90deg male thread Maxair compression elbow	3
1423.0322	32mm x 6 metre PE100 SDR11 yellow stripe pipe	6
5441.0355.	355mm x 14 in. Table D galvanised backing ring	7
5442.0355	355mm x 14 in. Table D stainless backing ring	2
5451.0355.	355mm x 14 in. Table E galvanised backing ring	8
1601.3552	355mm x 6 metre PE100 PN10 black pipe	2
DCHRF.038001	38 x 48 x 52mm RPVC double contained hose - per metre	450
SSCLB400	4 BSPM S/S Female Camlock Type B	2
SSHB100100	4 hose x 4 in. BSPM stainless hose barb	4
SSE100	4 in. 316 stainless 90D elbow	2
SSHN100	4 in. 316 stainless hex nipple	1
SST100	4 in. 316 stainless threaded tee	3
SSRB10065	4 in. x 2 1/2 in. 316 stainless reducing bush	3
GRB.100065	4 in. x 2 1/2 in. BSP Gal Mal Reducing Bush	4
PRB10080	4 in. x 3 in. GRNylon reducing bush	4
2014.0400F	400mm electrofusion coupler PE100 SDR11	6
2014.0400P	400mm electrofusion coupler PE100 SDR11	1
3414.0400.	400mm long spigot stub flange PE100 SDR11	1
5441.0400.	400mm x 16 in. Table D galvanised backing ring	1
3034.4035	400mm x 355mm long spigot reducer PE100 SDR11	2
2154.0040P	40mm electrofusion equal tee PE100 SDR11	1
3104.0040.	40mm long spigot 45deg elbow PE100 SDR11	18
3054.0040.	40mm long spigot 90deg elbow PE100 SDR11	12
3154.0040.	40mm long spigot tee PE100 SDR11	7
DHTPS.031040	40mm PVC Hose Tail solvent weld. Suit 31 x 42 x 47mm DCH	49
5461.0040.	40mm x 1 1/4 in. ANSI 150 galvanised backing ring	1
2314.4032P	40mm x 1 1/4 in. electrofusion brass male adaptor PE100 SDR11	14
2074.4032P	40mm x 1 1/4 in. electrofusion brass male thread elbow	1
2354.4032.	40mm x 1 1/4 in. male BSP PE spigot adaptor	69
5451.0040.	40mm x 1 1/4 in. Table E galvanised backing ring	11
EM4025	40mm x 1 in. 90deg male thread Maxair compression elbow	5
2324.4025P	40mm x 1 in. electrofusion brass female adaptor PE100 SDR11	4
2074.4025P	40mm x 1 in. electrofusion brass male thread elbow	8
2354.4025	40mm x 1 in. male BSP PE spigot adaptor	10
WTF4015	40mm x 1/2 Maxair socket fusion female threaded tee	15
1524.0407	40mm x 100 metre PE100 PN12.5 lilac stripe pipe	6
MA4050	40mm x 2 in. male adaptor	6
WRT4020	40mm x 20mm Maxair socket fusion reducing tee	11

Transaction Display Name	Description	Clearance Quantity
RC4032	40mm x 32mm Maxair compression reducing coupling	
RS4032	40mm x 32mm Maxair reducing set	1
WRT4032	40mm x 32mm Maxair socket fusion reducing tee	3
5451.0450.	450mm x 18 in. Table E galvanised backing ring	7
BHB0915	5/16 in. hose x 1/2 in. male brass hose barb	7
BHE1615	5/8 Hose x 1/2 BSPM Brass Elbow	24
BHE1608	5/8 Hose x 1/4 BSPM Brass Elbow	3
BHB1608	5/8 in. hose x 1/4 in. male brass hose barb	2
BHB1620	5/8 in. hose x 3/4 in. male brass hose barb	3
3104.0050.	50mm long spigot 45deg elbow PE100 SDR11	16
3054.0050.	50mm long spigot 90deg elbow PE100 SDR11	25
3154.0050.	50mm long spigot tee PE100 SDR11	3
EC50	50mm Maxair end cap	1
WC50	50mm Maxair socket fusion coupling	1
DHTPS.038050	50mm PVC Hose Tail solvent weld. Suit 38 x 48 x 52mm DCH	26
2324.5040P	50mm x 1 1/2 in. electrofusion brass female adaptor PE100 SDR11	1
EF5032	50mm x 1 1/4 in 90deg Maxair female thread compression elbow	1
EM5032	50mm x 1 1/4 in. 90deg male thread Maxair compression elbow	3
MA5032	50mm x 1 1/4 in. male adaptor	2
EM5025	50mm x 1 in. 90deg male thread Maxair compression elbow	2
EF5025	50mm x 1 in. 90deg Maxair female thread compression elbow	2
MA5025	50mm x 1 in. male adaptor	3
AS5025	50mm x 1 in. tapping saddle	18
1401.0508	50mm x 150 metre PE100 PN16 black pipe	3
1721.0508	50mm x 150 metre PE100 PN8 blue stripe pipe	10
2314.5050P	50mm x 2 in. electrofusion brass male adaptor PE100 SDR11	1
1621.0510	50mm x 250 metre PE100 PN10 blue stripe pipe	1
WRC5025	50mm x 25mm Maxair socket fusion reducing coupling	40
WRT5025	50mm x 25mm Maxair socket fusion reducing tee	16
AS5020	50mm x 3/4 in. tapping saddle	17
3034.5032.	50mm x 32mm long spigot reducer PE100 SDR11	49
RT5032	50mm x 32mm Maxair compression reducing tee	1
RS5032	50mm x 32mm Maxair reducing set	2
WRC5032	50mm x 32mm Maxair socket fusion reducing coupling	27
WRT5032	50mm x 32mm Maxair socket fusion reducing tee	8
UA50	50mm x 35-50mm universal adaptor (suits 50mm Cu)	2
RS5040	50mm x 40mm Maxair reducing set	2
RC5050	50mm x 50mm Maxair compression reducing coupling	1
DCHRF.006001	6.3 x 11.5 x 16.5mm RPVC double contained hose - per metre	750
1601.6302	630mm x 6 metre PE100 PN10 black pipe	1
3884.0063	63mm long spigot 90deg multibend PE100 SDR11	8
EC63	63mm Maxair end cap	2
EP63	63mm Maxair insert blanking plug	3
W45E63	63mm Maxair socket fusion 45deg elbow	2
WF63	63mm Maxair socket fusion stub flange	2
MC63	63mm modular connector	4
2314.6340P	63mm x 1 1/2 in. electrofusion brass male adaptor PE100 SDR11	2
MA6340	63mm x 1 1/2 in. male adaptor	4
2354.6340	63mm x 1 1/2 in. male BSP PE spigot adaptor	32

Transaction Display Name	Description	Clearance Quantity
AS6332	63mm x 1 1/4 in. tapping saddle	1
2214.6325P	63mm x 25mm electrofusion tapping saddle PE100 SDR11	12
RS6325	63mm x 25mm Maxair reducing set	33
2224.6332P	63mm x 32mm electrofusion branch saddle PE100 SDR11	2
3034.6332.	63mm x 32mm long spigot reducer PE100 SDR11	23
RS6332	63mm x 32mm Maxair reducing set	10
3034.6340.	63mm x 40 mm long spigot reducer PE100 SDR11	44
2164.6340P	63mm x 40mm EF reducing tee PE100 SDR11	3
2034.6340P	63mm x 40mm electrofusion reducer PE100 SDR11	4
RS6340	63mm x 40mm Maxair reducing set	5
1423.0636	63mm x 50 metre PE100 SDR11 yellow stripe pipe	1
2034.6350P	63mm x 50mm electrofusion reducer PE100 SDR11	14
RC6350	63mm x 50mm Maxair compression reducing coupling	6
RT6350	63mm x 50mm Maxair compression reducing tee	3
RS6350	63mm x 50mm Maxair reducing set	16
2224.7540P	75mm x 40mm electrofusion branch saddle PE100 SDR11	13
1424.0752	75mm x 6 metre PE100 PN16 lilac stripe pipe	8
2224.7563P	75mm x 63mm electrofusion branch saddle PE100 SDR11	19
SIMMJ.076020	76mm 1.75m Manifold 10 x 3/4 BSPM	7
SSTUBEEC76	76mm 316SS Welded Tube End Cap	3
PUBH08-DB	8 x 5mm Polyurethane Braided Hose D/Blue	1,135
C45E90	90mm 45deg compression elbow	1
VISEP.000090	90mm Clockwise Close PE Spigot Sluice Valve	1
2054.0090P	90mm electrofusion 90deg elbow PE100 SDR11	1
2014.0090P	90mm electrofusion coupler PE100 SDR11	11
3104.0090.	90mm long spigot 45deg elbow PE100 SDR11	56
3884.0090	90mm long spigot 90deg multibend PE100 SDR11	5
WEC90	90mm Maxair socket fusion end cap	4
AS9032	90mm x 1 1/4 in. tapping saddle	7
1521.0907	90mm x 100 metre PE100 PN12.5 blue stripe pipe	3
AS9050	90mm x 2 in. tapping saddle	6
2354.9080.	90mm x 3 in. male BSP PE spigot adaptor	4
2224.9040F	90mm x 40mm electrofusion branch saddle PE100 SDR11	1
2164.9063P	90mm x 63mm EF reducing tee PE100 SDR11	10
2034.9063P	90mm x 63mm electrofusion reducer PE100 SDR11	1
2214.9063P	90mm x 63mm electrofusion tapping saddle PE100 SDR11	4
LITEAIR90	90mm x 6m LITEAIR Pipe PE100 Blue SDR11	32
AIR90	90mm x 6m PE100 PN25 MAXAIR pipe	
HGCBB.000320	Cantilever Bracket 320mm Long Braced	11
HGCBO.000450	Cantilever Bracket 450mm Long HDG	6
PTCAD.100001	Detectable Underground Compressed Air Tape 100mm per metre	179
PTSWD.100250	Detectable Underground Sewer Tape 100mm per metre	3,000
VIHEL.000080	Flanged Gate Valve 80mm Handwheel CC	2
OC10	Hose Clamp 2 Ear 15-18mm suit BU/SU10	51
HC16SS	Hose Clamp Worm Drive 14-27mm S/S	24
HC.016027	Hose Clamp Worm Drive 16-27mm	106
PMA4N.100X10	Pipe Marker Acid 4 Dilute 100 X 10 Label	4
PMA4N.380X30	Pipe Marker Acid 4 Dilute 380 X 30 Label	14
PMA5N.100X10	Pipe Marker Acid 5 Dilute 100 X 10 Label	4

Transaction Display Name	Description	Clearance Quantity
PMA5N.380X30	Pipe Marker Acid 5 Dilute 380 X 30 Label	3
PMACN.380X30	Pipe Marker Argon / CO2 380 X 30 Label	57
PMARN.100X10	Pipe Marker Argon 100 X 10 Label	3
PMARN.380X30	Pipe Marker Argon 380 X 30 Label	30
PMBAN.100X10	Pipe Marker Breathing Air 100 X 10 Label	22
PMDFN.100X10	Pipe Marker Diesel Fuel 100 X 10 Label	188
PMFRN.380X30	Pipe Marker Fire Hose Reel 380 X 30 Label	24
PMFWN.380X30	Pipe Marker Fire Water 380 X 30 Label	20
PMGRN.380X30	Pipe Marker Grease 380 X 30 Label	20
PMHPN.100X10	Pipe Marker High Pressure Water 100 X 10 Label	4
PMHPN.380X30	Pipe Marker High Pressure Water 380 X 30 Label	6
PMHWN.100X10	Pipe Marker Hot Water 100 X 10 Label	12
PMHWN.380X30	Pipe Marker Hot Water 380 X 30 Label	33
PMIWN.100X10	Pipe Marker Industrial Water 100 X 10 Label	42
PMIWN.380X30	Pipe Marker Industrial Water 380 X 30 Label	10
PMLPN.380X30	Pipe Marker LP Gas 380 X 30 Label	5
PMNWN.100X10	Pipe Marker Non-Potable Water 100 X 10 Label	20
PMOXN.380X30	Pipe Marker Oxygen 380 X 30 Label	4
PMPWN.100X10	Pipe Marker Potable Water 100 X 10 Label	90
PMPWN.380X30	Pipe Marker Potable Water 380 X 30 Label	29
PMREN.100X10	Pipe Marker Reclaimed Effluent 100 X 10 Label	32
PMREN.380X30	Pipe Marker Reclaimed Effluent 380 X 30 Label	9
PMRCN.380X30	Pipe Marker Recycled Water 380 X 30 Label	21
PMSLN.380X30	Pipe Marker Sullage 380 X 30 Label	11
PMTON.380X30	Pipe Marker Transmission Oil 380 X 30 Label	7
PMVEN.380X30	Pipe Marker Vent 380 X 30 Label	21
31921021	Pushfit Female Elbow 10mm x 1/2 in. BSPF	73
SSPP20100	S/S Pipe Piece 3/4 in. BSP x 100mm	1
PJ12M	SurePress Press Jaw PB2 12mm M-Profile	1
MISLC.000140	Surepress S/S 140mm Pressfit Length Compensator 16 Bar	5
MISLC.000168	Surepress S/S 168mm Pressfit Length Compensator 16 Bar	9
UACC0.110110	Unipipe 110mm Air Coupling	3
UATT0.110600	Unipipe 110mm Blue Air Pipe x 6m	14
UATT0.160600	Unipipe 160mm Blue Air Pipe x 6m	26
UXTT0.020600	Unipipe 20mm Green HP Pipex6m	4
UXTT0.025400	Unipipe 25mm Green HP Pipex4m	6
UXTT0.025600	Unipipe 25mm Green HP Pipex6m	11
UCCCT.025025	Unipipe 25mm HP Air Tee	1
UCCF0.025020	Unipipe 25mm HP Air x 3/4 in. BSPF Adapter	1
UACC1.040040	Unipipe 40mm Air Slip Coupling	8
UACC0.090090	Unipipe 90mm Air Coupling	16
UACCT.090090	Unipipe 90mm Air Tee	24
UASC0.090063	Unipipe 90mm x 63mm Air Reducer	2
PBPSO.0PS030	UPVC Pipe Spacer 3 PP Black	8
PGRGO.829528	UPVC Reducing Coupling Sch80 Grey 6 in. x 2 in.	6